










STEERING PRODUCTS

## EBS DRAGLINKS

















|   |                           |   |   |  |                                      |   |                           |
|---|---------------------------|---|---|--|--------------------------------------|---|---------------------------|
| 29.21.1001  |                           | 29.21.1007  |   | 29.21.1008   |                                      | 29.21.1009  |                           |
|    |                           |    |   |    |                                      |    |                           |
| Length = 1522 mm  |                           | Length = 1690 mm  |   | Length = 1698 mm   |                                      | Length = 1734 mm  |                           |
| Application   | DAF<br>1732980            | Application   | DAF<br>1700000                                  | Application  | DAF<br>1353391<br>1270853            | Application   | DAF<br>1337644<br>1270854 |
| Lemforder Reference   | 37323                     | Lemforder Reference   | 33980   | Lemforder Reference  | 20593                                | Lemforder Reference   | 21807                     |
| 29.21.1019  |                           | 29.21.1022  |   | 29.21.1024   |                                      | 29.21.1030  |                           |
|    |                           |    |   |    |                                      |    |                           |
| Length = 860 mm   |                           | Length = 860 mm   |   | Length = 867 mm  |                                      | Length = 919 mm   |                           |
| Application   | DAF<br>1696072            | Application   | DAF<br>1451129<br>1380417                       | Application  | DAF<br>1602821<br>1363859<br>1448063 | Application   | DAF<br>1407774            |
| Lemforder Reference   | 37459                     | Lemforder Reference   | 26842   | Lemforder Reference  | 26841                                | Lemforder Reference   | 34032                     |
| 29.21.1037  |                           | 29.21.1044  |   | 29.21.1045   |                                      | 29.21.1046  |                           |
|  |                           |  |   |  |                                      |  |                           |
| Length = 1815 mm  |                           | Length = 900 mm   |   | Length = 926 mm  |                                      | Length = 991 mm   |                           |
| Application   | DAF<br>1451121<br>1433449 | Application   | DAF<br>1405655<br>1406025<br>1407144<br>1700912 | Application  | DAF<br>1405309<br>1403898            | Application   | DAF<br>11395994           |
| Lemforder Reference   | 30998                     | Lemforder Reference   | 34034   | Lemforder Reference  | 34026                                | Lemforder Reference   | 26826                     |
| 29.21.1047  |                           | 29.21.1060  |   | 29.21.1064   |                                      | 29.21.1065  |                           |
|  |                           |  |   |  |                                      |  |                           |
| Length = 996 mm   |                           | 1130 mm   |   | 865 mm   |                                      | 1698 mm   |                           |
| Application   | DAF<br>OE: 1395993        | Application   | DAF<br>0094044<br>0274878<br>1152427            | Application  | DAF<br>1602820<br>1363858            | Application   | DAF<br>1448065<br>1373879 |
| Lemforder Reference   | 26831                     | Lemforder Reference   | 19781   | Lemforder Reference  | 30290                                | Lemforder Reference   | 34047                     |

**EBS DRAGLINKS**

|  |                              |   |   |  |                               |   |  |
|--|------------------------------|---|---|--|-------------------------------|---|--|
| 29.21.1066   |                              | 29.21.1076  |   | 29.21.1077   |                               | 29.21.1078  |  |
|    |                              |    |   |    |                               |    |  |
| 1698 mm  |                              | 930 mm  |   | 900 mm   |                               | 1691 mm   |  |
| Application  | DAF<br>1732973               | Application   | DAF<br>1405363                                      | Application  | DAF<br>1700913<br>1406600     | Application   | DAF<br>1408040   |
| Lemforder Reference  | 37322                        | Lemforder Reference   | 34027   | Lemforder Reference  | 34035                         | Lemforder Reference   | ---  |
| 29.21.1079   |                              | 29.21.1087  |   | 29.21.1092   |                               | 29.21.1116  |  |
|    |                              |    |   |    |                               |    |  |
| 1734 mm  |                              | 1215 mm   |   | 910 mm   |                               | 876 mm  |  |
| Application  | DAF<br>1700001               | Application   | DAF<br>1661183                                      | Application  | DAF<br>1401937                | Application   | DAF<br>1283211<br>1351714<br>1385497   |
| Lemforder Reference  | 33981                        | Lemforder Reference   | 30999   | Lemforder Reference  | 34025                         | Lemforder Reference   | 360113   |
| 29.25.1000   |                              | 29.25.1002  |   | 29.25.1015   |                               | 29.25.1026  |  |
|  |                              |  |   |  |                               |  |  |
| Length = 1477 mm   |                              | Length = 1570 mm  |   | Length = 820 mm  |                               | Length = 888 mm   |  |
| Application  | VECO<br>41032608<br>41033237 | Application   | IVECO<br>504034521                                  | Application  | IVECO<br>98467459<br>98402544 | Application   | IVECO<br>500311471<br>98491559   |
| Lemforder Reference  | 27892                        | Lemforder Reference   | 30078   | Lemforder Reference  | 19339                         | Lemforder Reference   | 22814  |
| 29.25.1028   |                              | 29.25.1031  |   | 29.25.1034   |                               | 29.25.1035  |  |
|  |                              |  |   |  |                               |  |  |
| Length = 892 mm  |                              | Length = 953 mm   |   | Length = 1315 mm   |                               | Length = 1631 mm  |  |
| Application  | IVECO<br>504049893           | Application   | IVECO<br>41042919<br>41005463<br>8131582<br>8132397 | Application  | IVECO<br>41296162             | Application   | IVECO<br>41042730<br>41005450<br>41005451<br>41036943<br>41036944<br>8163773 |
| Lemforder Reference  | 33416                        | Lemforder Reference   | 19621   | Lemforder Reference  | 35513                         | Lemforder Reference   | 21285  |

STEERING PRODUCTS

## EBS DRAGLINKS

|   |   |   |  |  |   |   |   |
|---|---|---|--|--|---|---|---|
| 29.25.1058  |   | 29.25.1080  |  | 29.26.1005   |   | 29.26.1032  |   |
|    |   |    |  |    |   |    |   |
| 1490 mm   |   | 1577 mm   |  | Length = 1679 mm   |   | Length = 993 mm   |   |
| Application   | IVECO<br>500307556<br>98402553  | Application   | IVECO<br>41005460<br>41005309<br>8165309                     | Application  | MAN<br>OE: 81467116863<br>81467116773<br>81467116858<br>81467116859<br>81467116860<br>81467116861 | Application   | MAN<br>81466116136<br>81466106807<br>81466106808<br>81466116096<br>81466116097<br>81466116099 |
| Lemforder Reference   | 21385   | Lemforder Reference   | 25318  | Lemforder Reference  | 25395   | Lemforder Reference   | 30592   |
| 29.26.1032  |   | 29.26.1041  |  | 29.26.1050   |   | 29.26.1115  |   |
|    |   |    |  |    |   |    |   |
| Length = 993 mm   |   | Length = 882 mm   |  | 1577 mm  |   | 840 mm  |   |
| Application   | MAN<br>81466116132<br>81466116133<br>81466116136<br>81466116197<br>81466116198<br>81466116205 | Application   | MAN<br>85466106156   | Application  | MAN<br>81466106001<br>81466106725<br>85466106030<br>85466106102                                   | Application   | MAN<br>85466106021<br>85466105121<br>85466106140  |
| Lemforder Reference   | ---   | Lemforder Reference   | 28330  | Lemforder Reference  | 19607   | Lemforder Reference   | 360226  |
| 29.27.1003  |   | 29.27.1013  |  | 29.27.1017   |   | 29.27.1018  |   |
|  |   |  |  |  |   |  |   |
| Length = 1605 mm  |   | Length = 733 mm   |  | Length = 837 mm  |   | Length = 846 mm   |   |
| Application   | MERCEDES<br>9753300203<br>9753300303<br>9753300803<br>9753301703<br>9753302503                | Application   | MERCEDES<br>0014601505<br>34603305<br>14607305<br>3754601605 | Application  | MERCEDES<br>9724601505<br>9724601705  | Application   | MERCEDES<br>9704600805<br>9704601005  |
| Lemforder Reference   | 23996   | Lemforder Reference   | 29799  | Lemforder Reference  | 24242   | Lemforder Reference   | 24240   |
| 29.27.1053  |   | 29.27.1055  |  | 29.27.1025   |   | 29.27.1029  |   |
|  |   |  |  |  |   |  |   |
| Length = 495 mm   |   | Length = 1594 mm  |  | Length = 880 mm  |   | Length = 894 mm   |   |
| Application   | MERCEDES<br>6704602805<br>6704602905  | Application   | MERCEDES-<br>6703300203<br>6703300303                        | Application  | MERCEDES<br>24604405<br>24604305<br>34604805  | Application   | MERCEDES<br>OE: 9744601105<br>9744601305<br>34600705<br>34604705                              |
| Lemforder Reference   | 12934   | Lemforder Reference   | 12877  | Lemforder Reference  | 24243   | Lemforder Reference   | 26024   |

## EBS DRAGLINKS


|   |   |   |  |  |  |   |   |
|---|---|---|--|--|--|---|---|
| 29.27.1042  |   | 29.27.1043  |  | 29.27.1056   |  | 29.27.1057  |   |
|     |   |    |  |    |  |    |   |
| Length = 895 mm   |   | Length = 895 mm   |  | Length = 1596 mm   |  | Length = 1612 mm  |   |
| Application   | MERCEDES<br>OE:<br>0024604505<br>24604605<br>34605005<br>3754600405                       | Application   | MERCEDES<br>34605605<br>24605005<br>24604905                                   | Application  | MERCEDES<br>9493301003<br>9493301103<br>9493301703<br>9493302103 | Application   | MERCEDES<br>9723300003<br>9723300103  |
| Lemforder Reference   | 25721   | Lemforder Reference   | 25447  | Lemforder Reference  | 23994  | Lemforder Reference   | 23976   |
| 29.27.1068  |   | 29.27.1084  |  | 29.27.1088   |  | 29.28.1006  |   |
|    |   |    |  |    |  |    |   |
| Length = 504 mm   |   | Length = 1095 mm  |  | Length = 926 mm  |  | Length = 1686 mm  |   |
| Application   | MERCEDES<br>6674601605<br>6674601805  | Application   | MERCEDES<br>0014601305<br>0014601405<br>0024600505<br>0034603205<br>3754601505 | Application  | MERCEDES<br>3754602105<br>3754602305"                            | Application   | RENAULT<br>21560963<br>5001868366<br>5010587034<br>5010587038<br>7421560963 |
| Lemforder Reference   | 24581   | Lemforder Reference   | 33576  | Lemforder Reference  | ---  | Lemforder Reference   | 37229   |
| 29.28.1016  |   | 29.28.1040  |  | 29.28.1062   |  | 29.28.1067  |   |
|  |   |  |  |  |  |  |   |
| Length = 825 mm   |   | Length = 866 mm   |  | Length = 552 mm  |  | Length = 1758 mm  |   |
| Application   | RENAULT<br>20777411<br>5001868389<br>5010647032<br>5010647033<br>7421560884<br>7421560889 | Application   | RENAULT<br>7421560950<br>7420847206  | Application  | RENAULT<br>7421021392<br>7482292080                              | Application   | RENAULT<br>5010439021<br>5010566063   |
| Lemforder Reference   | 33583   | Lemforder Reference   | 35605  | Lemforder Reference  | 35611  | Lemforder Reference   | 29454   |
| 29.28.1070  |   | 29.28.1071  |  | 29.28.1074   |  | 29.28.1075  |   |
|  |   |  |  |  |  |  |   |
| Length = 891 mm   |   | Length = 1669 mm  |  | Length = 825 mm  |  | Length = 1818 mm  |   |
| Application   | RENAULT<br>5010557423   | Application   | RENAULT<br>20581086  | Application  | RENAULT<br>7421560901<br>5010630815<br>5001868386                | Application   | RENAULT<br>20399543<br>21299034<br>85115631                                 |
| Lemforder Reference   | 29434   | Lemforder Reference   | 34528  | Lemforder Reference  | 36174  | Lemforder Reference   | 37225   |

**EBS DRAGLINKS**

|                     |   |                     |   |                     |   |                     |   |
|---------------------|---|---------------------|---|---------------------|---|---------------------|---|
| 29.28.1082          |   | 29.28.1086          |   | 29.28.1089          |   | 29.28.1110          |   |
|                     |   |                     |   |                     |   |                     |   |
| Length = 720 mm     |   | Length = 552 mm     |   | Length = 940 mm     |   | Length = 1650 mm    |   |
| Application         | RENAULT<br>5010060764<br>5010557243   | Application         | RENAULT<br>7421021392<br>7482292080                             | Application         | RENAULT<br>5010488166   | Application         | RENAULT<br>5010566157   |
| Lemforder Reference | 19857   | Lemforder Reference | 35611   | Lemforder Reference | 27953   | Lemforder Reference | 361089  |
| 29.28.1111          |   | 29.28.1112          |   | 29.28.1114          |   | 29.28.1117          |   |
|                     |   |                     |   |                     |   |                     |   |
| Length = 1719 mm    |   | Length = 1726 mm    |   | Length = 825 mm     |   | Length = 900 mm     |   |
| Application         | RENAULT<br>5001868404<br>5010587049<br>5010587052<br>7421560965<br>25370844 | Application         | RENAULT<br>5001868363<br>5010587004<br>5010600822<br>7421560957 | Application         | RENAULT<br>5001868384<br>5010630822<br>5010630823<br>7421560882<br>25379293 | Application         | RENAULT<br>5010488084<br>5010488639<br>5010488759<br>5010557341 |
| Lemforder Reference | 360872  | Lemforder Reference | 360689  | Lemforder Reference | 360669  | Lemforder Reference | 361010  |
| 29.29.1010          |   |                     |   | 29.29.1011          |   | 29.29.1011          |   |
|                     |   |                     |   |                     |   |                     |   |
| Length = 1743 mm    |   |                     |   | Length = 1743 mm    |   | Length = 1743 mm    |   |
| Application         | SCANIA<br>1897333<br>1361413<br>1395614                                     | Application         | SCANIA<br>1734019<br>2040254<br>2146105                         | Application         | SCANIA<br>2113903<br>1369411<br>1385251<br>1409918                          | Application         | SCANIA<br>1501030<br>1723895<br>1737683<br>1897335              |
| Lemforder Reference | 37547   |                     |   | Lemforder Reference | 22083   | Lemforder Reference | 22083   |
| 29.29.1033          |   | 29.29.1038          |   | 29.29.1051          |   | 29.29.1052          |   |
|                     |   |                     |   |                     |   |                     |   |
| Length = 1059 mm    |   | Length = 1920 mm    |   | Length = 438,5 mm   |   | Length = 915 mm     |   |
| Application         | SCANIA<br>1384027<br>1384027<br>1769597<br>1847312<br>1912758               | Application         | SCANIA<br>1732635<br>1343264                                    | Application         | SCANIA<br>1394884<br>1938387  | Application         | SCANIA<br>1304571<br>13045711<br>381339                         |
| Lemforder Reference | 21009   | Lemforder Reference | 23493   | Lemforder Reference | 25139   | Lemforder Reference | 11927   |

**EBS DRAGLINKS**

|   |                              |
|---|------------------------------|
| 29.29.1059  |                              |
|  |                              |
| Length = 435 mm   |                              |
| Application   | SCANIA<br>1343283<br>1759691 |
| Lemforder Reference   | 21455                        |

|   |  |  |
|---|--|--|
| 29.29.1069  |  |  |
|  |  |  |
| Length = 1743   |  |  |
| Application   | SCANIA<br>1897336<br>1723896<br>1527978<br>1737684 | SCANIA<br>1527989<br>2125091<br>2146104<br>2161884 |
| Lemforder Reference   | 37546  |  |

|   |                              |
|---|------------------------------|
| 29.29.1072  |                              |
|  |                              |
| Length = 1256 mm  |                              |
| Application   | SCANIA<br>0481690<br>1897671 |
| Lemforder Reference   | 21449                        |

|  |  |
|--|--|
| 29.29.1073   |  |
|  |  |
| Length = 635 mm  |  |
| Application  | SCANIA<br>1895862<br>1433532<br>1755506<br>0475460 |
| Lemforder Reference  | 27558  |

|   |   |
|---|---|
| 29.29.1085  |   |
|  |   |
| Length = 1921 mm  |   |
| Application   | SCANIA<br>2007279<br>1747467<br>1733471 |
| Lemforder Reference   | 36655                                   |

|  |                              |
|--|------------------------------|
| 29.29.1109   |                              |
|  |                              |
| Length = 1606 mm   |                              |
| Application  | SCANIA<br>1385764<br>1765376 |
| Lemforder Reference  | 360924                       |

|   |                               |
|---|-------------------------------|
| 29.30.1004  |                               |
|  |                               |
| Length = 1639 mm  |                               |
| Application   | VOLVO<br>85115641<br>20361568 |
| Lemforder Reference   | 29614                         |

|   |                   |
|---|-------------------|
| 29.30.1012  |                   |
|  |                   |
| Length = 2339 mm  |                   |
| Application   | VOLVO<br>20581633 |
| Lemforder Reference   | 35948             |

|   |                      |
|---|----------------------|
| 29.30.1014  |                      |
|  |                      |
| Length = 770 mm   |                      |
| Application   | VOLVO<br>OE: 9522701 |
| Lemforder Reference   | 29814                |

|  |   |
|--|---|
| 29.30.1023   |   |
|  |   |
| Length = 863 mm  |   |
| Application  | VOLVO<br>21106952<br>20375556<br>21106952 |
| Lemforder Reference  | 28091                                     |

|   |   |
|---|---|
| 29.30.1027  |   |
|  |   |
| Length = 888 mm   |   |
| Application   | VOLVO<br>85115621<br>20376808<br>85115621 |
| Lemforder Reference   | 27631                                     |

|   |                |
|---|----------------|
| 29.30.1039  |                |
|  |                |
| Length = 1977 mm  |                |
| Application   | DAF<br>1451122 |
| Lemforder Reference   | 26036          |

|   |  |
|---|--|
| 29.30.1054  |  |
|  |  |
| Length = 1645 mm  |  |
| Application   | VOLVO<br>1626637<br>1628637<br>3962343<br>39623434<br>3986450<br>3988711 |
| Lemforder Reference   | 22822  |

|  |                  |
|--|------------------|
| 29.30.1061   |                  |
|  |                  |
| Length = 1022 mm   |                  |
| Application  | VOLVO<br>8132373 |
| Lemforder Reference  | 11971            |

|   |                              |
|---|------------------------------|
| 29.30.1091  |                              |
|  |                              |
| Length = 1147 mm  |                              |
| Application   | VOLVO<br>70313773<br>9959244 |
| Lemforder Reference   | 25551                        |

STEERING PRODUCTS

**EBS DRAGLINKS**

|                     |   |
|---------------------|---|
| 29.30.1063          |   |
|                     |   |
| Length = 908 mm     |   |
| Application         | VOLVO<br>20376370<br>20386337<br>85115619 |
| Lemforder Reference | 34929                                     |

|                     |   |
|---------------------|---|
| 29.30.1081          |   |
|                     |   |
| Length = 895 mm     |   |
| Application         | VOLVO<br>21562336<br>21698606<br>22380817<br>22526507 |
| Lemforder Reference | ---   |

|                     |                              |
|---------------------|------------------------------|
| 29.30.1083          |                              |
|                     |                              |
| Length = 572 mm     |                              |
| Application         | VOLVO<br>1088985<br>20393083 |
| Lemforder Reference | 24382                        |

|                     |                               |
|---------------------|-------------------------------|
| 29.30.1090          |                               |
|                     |                               |
| Length = 824 mm     |                               |
| Application         | VOLVO<br>21106933<br>20375787 |
| Lemforder Reference | 26779                         |

|                     |  |
|---------------------|--|
| 29.30.1108          |  |
|                     |  |
| Length = 1028 mm    |  |
| Application         | VOLVO<br>20490120<br>20745924<br>21308024<br>9519279 |
| Lemforder Reference | 360596   |

|                     |   |
|---------------------|---|
| 29.30.1113          |   |
|                     |   |
| Length = 743 mm     |   |
| Application         | VOLVO<br>20497799<br>3112273<br>9959152 |
| Lemforder Reference | 360678                                  |

|                     |                 |
|---------------------|-----------------|
| 29.43.1020          |                 |
|                     |                 |
| Length = 860 mm     |                 |
| Application         | VDL<br>20312649 |
| Lemforder Reference | 37594           |

|                     |                   |
|---------------------|-------------------|
| 29.43.1021          |                   |
|                     |                   |
| Length = 860 mm     |                   |
| Application         | VDL<br>OE: 312648 |
| Lemforder Reference | 37593             |

**EBS STABILIZERS**

|                      |                    |
|----------------------|--------------------|
| 29.21.2003           |                    |
|                      |                    |
| C:27/30<br>L:2028 mm |                    |
| Application          | DAF<br>OE: 1801332 |
| Lemforder Reference  | 33983              |

|                            |                      |
|----------------------------|----------------------|
| 29.26.2001                 |                      |
|                            |                      |
| C:23,5/26<br>L:160 mm LEFT |                      |
| Application                | SCANIA<br>OE: 486590 |
| Lemforder Reference        | 27648                |

|                     |                       |
|---------------------|-----------------------|
| 29.28.2011          |                       |
|                     |                       |
| Length = 325 mm     |                       |
| Application         | RENAULT<br>7421446333 |
| Lemforder Reference | 620056                |

|                       |                             |
|-----------------------|-----------------------------|
| 29.29.2005            |                             |
|                       |                             |
| C:23,5/26<br>L:130 mm |                             |
| Application           | SCANIA<br>1766015<br>445626 |
| Lemforder Reference   | 21806                       |

|                                |  |
|--------------------------------|--|
| 29.30.2002                     |  |
|                                |  |
| C:23,9/28,6<br>L:367 mm (LEFT) |  |
| Application                    | VOLVO<br>9523163<br>70314305<br>70397006 |
| Lemforder Reference            | 30986                                    |

|                         |                      |
|-------------------------|----------------------|
| 29.30.2003              |                      |
|                         |                      |
| C:27,3/31,7<br>L:150 mm |                      |
| Application             | VOLVO<br>OE: 9959503 |
| Lemforder Reference     | 31309                |

|                               |  |
|-------------------------------|--|
| 29.30.2004                    |  |
|                               |  |
| C:23,9/28,6<br>L:367 mm RIGHT |  |
| Application                   | VOLVO<br>70397005<br>70314307<br>9959462 |
| Lemforder Reference           | 29815                                    |



**EBS TIE ROD ENDS**

|   |                            |   |                |   |                |  |                   |   |  |
|---|----------------------------|---|----------------|---|----------------|--|-------------------|---|--|
| 29.42.3003  |                            | 29.21.3004  |                | 29.21.3005  |                | 29.25.3001   |                   | 29.27.3002  |  |
|  |                            |  |                |  |                |  |                   |  |  |
| M30x1.5 LHT C:27.1/30<br>L:125 mm (M)   |                            | M30x1.5 RHT C:27.1/30<br>L:141 mm (M)   |                | M30x1.5 RHT C:34.3/38<br>L:86 mm (F)  |                | M26x1.5 RHT C:27.1/30<br>L:75 mm (F)   |                   | M26x1.5 RHT C:28.8/32<br>L:75 mm (F)  |  |
| Application   | BMC<br>1228115<br>9P914835 | Application   | DAF<br>2115316 | Application   | DAF<br>3099129 | Application  | IVECO<br>42533073 | Application   | MERCEDES<br>5001845430<br>24600648<br>14601548<br>14601648 |
| Lemforder Reference   | 11492                      | Lemforder Reference   | 25353          | Lemforder Reference   | 25073          | Lemforder Reference  | 33772             | Lemforder Reference   | 33397  |

**EBS TORQUE RODS**

|   |                              |   |                   |  |  |   |  |
|---|------------------------------|---|-------------------|--|--|---|--|
| 29.21.4002  |                              | 29.21.4004  |                   | 29.26.4001   |  |   |  |
|    |                              |    |                   |   |  |   |  |
| Length = 600 mm   |                              | Length = 606 mm   |                   | Length = 571 mm  |  |   |  |
| Application   | DAF<br>OE: 1274741           | Application   | DAF<br>1294251    | Application  | MAN<br>81432206129<br>81432206096<br>81432206097 |   |  |
| Lemforder Reference   | 26823                        | Lemforder Reference   | 22904             | Lemforder Reference  | 11757  |   |  |
| 29.29.4003  |                              | 29.29.4005  |                   | 29.29.4006   |  | 29.29.4007  |  |
|   |                              |  |                   |  |  |  |  |
| Length = 616,5 mm   |                              | Length = 522 mm   |                   | Length = 592 mm  |  | Length = 599 mm   |  |
| Application   | SCANIA<br>1399019<br>1500576 | Application   | SCANIA<br>1486758 | Application  | SCANIA<br>1388436<br>1722748<br>1499476          | Application   | SCANIA<br>20762454<br>20762545<br>20816718 |
| Lemforder Reference   | 27582                        | Lemforder Reference   | 28969             | Lemforder Reference  | 30969  | Lemforder Reference   | 31959                                      |
| 29.30.4011  |                              | 29.29.4012  |                   |  |  |   |  |
|  |                              |  |                   |  |  |   |  |
| Length = 510mm  |                              | Length = 570 mm   |                   |  |  |   |  |
| Application   | VOLVO<br>9955949<br>24426046 | Application   | SCANIA<br>1486756 |  |  |   |  |
| Lemforder Reference   | 720322                       | Lemforder Reference   | 720102            |  |  |   |  |

STEERING PRODUCTS

**EBS V STAY BARS**

|                     |                    |                     |   |                     |  |
|---------------------|--------------------|---------------------|---|---------------------|--|
| 29.21.5001          |                    | 29.21.5009          |   | 29.25.5007          |  |
|                     |                    |                     |   |                     |  |
| Length = 608.2 mm   |                    | 609 mm              |   | Length = 665 mm     |  |
| Application         | DAF<br>OE: 1793876 | Application         | DAF<br>0080521<br>1361651<br>1368270<br>1390932 | Application         | MAN<br>08137026<br>41002770<br>41009665<br>41028598<br>41028600<br>41034479<br>41042050<br>8137026 |
| Lemforder Reference | 25043              | Lemforder Reference | 26691   | Lemforder Reference | 11715  |

|                     |   |                     |  |                     |   |                     |   |
|---------------------|---|---------------------|--|---------------------|---|---------------------|---|
| 29.26.5005          |   | 29.26.5006          |  | 29.27.5002          |   | 29.27.5003          |   |
|                     |   |                     |  |                     |   |                     |   |
| Length = 693.5 mm   |   | Length = 627 mm     |  | Length = 622 mm     |   | Length = 622 mm     |   |
| Application         | MAN<br>OE:<br>1342709053<br>81432706053 | Application         | MAN<br>OE:<br>81432206221<br>81432706096<br>81432706114<br>81432706163 | Application         | MERCEDES-<br>BENZ<br>OE: 9423501505<br>9423501005<br>9443500005<br>9473500105 | Application         | MERCEDES-BENZ<br>OE: 9483503005<br>3753500205<br>9443500305<br>9443500505<br>9443500605<br>9473500705<br>9473500905<br>9483500405<br>9483501105 |
| Lemforder Reference | 20399                                   | Lemforder Reference | 25210  | Lemforder Reference | 21168   | Lemforder Reference | 23069   |

|                     |   |                     |                                   |
|---------------------|---|---------------------|-----------------------------------|
| 29.27.5008          |   | 29.28.5004          |                                   |
|                     |   |                     |                                   |
| Length = 622 mm     |   | Length = 663 mm     |                                   |
| Application         | MERCEDES-<br>BENZ<br>3753500505<br>9423501205<br>9603500105<br>9423500505<br>9423500805 | Application         | RENAULT<br>20507262<br>7420741703 |
| Lemforder Reference | 31887   | Lemforder Reference | 26058                             |